Examining Maternal Mortality: Analyzing Causes and Implementing Solutions.

Fang Marghese*

Department of Infectious Disease Epidemiology, London School of Hygiene and Tropical Medicine, UK

Introduction

Maternal mortality remains a pressing global issue despite significant advancements in healthcare and technology. The loss of a mother during pregnancy, childbirth, or within 42 days after delivery not only affects families but also has farreaching implications for communities and societies. To combat this tragic phenomenon, it is crucial to delve into the complex web of causes and explore effective solutions.

Causes of Maternal Mortality

Lack of Access to Quality Healthcare: One of the primary contributors to maternal mortality is the limited access to adequate healthcare services, especially in low-income and remote regions. Women in these areas often face challenges in reaching healthcare facilities, leading to delayed or inadequate prenatal care and skilled attendance during childbirth.

Complications during Pregnancy and Childbirth: Pregnancy and childbirth can be fraught with complications, including hemorrhage, infections, hypertensive disorders, and obstructed labor. When these complications are not identified and managed in a timely manner, they can result in severe consequences for both the mother and the child [1].

Socioeconomic Factors: Poverty, illiteracy, and lack of awareness play a significant role in maternal mortality. Women from disadvantaged backgrounds may not have the means to access proper healthcare or may not be aware of the importance of seeking medical assistance during pregnancy.

Cultural Practices and Beliefs: In some societies, traditional practices and cultural beliefs surrounding childbirth can lead to harmful consequences. For instance, reliance on unskilled birth attendants or adherence to harmful rituals during pregnancy can increase the risk of maternal mortality.

Weak Health Systems: Inadequate infrastructure, lack of medical equipment, and shortages of skilled healthcare professionals can all contribute to subpar maternal healthcare services and outcomes.

Solutions to Address Maternal Mortality

Improved Access to Healthcare: Governments and stakeholders must invest in expanding healthcare facilities and services in underserved areas. Mobile health units and

telemedicine can be employed to reach remote communities and provide essential prenatal and postnatal care [2].

Strengthening Health Systems: Enhancing the capacity of healthcare systems is crucial. This involves training healthcare professionals, upgrading medical facilities, and ensuring the availability of essential medicines and equipment.

Education and Awareness: Raising awareness among women and communities about the importance of antenatal care and skilled attendance during childbirth is vital. Education can help dispel myths and misconceptions and empower women to make informed decisions about their healthcare.

Encouraging Female Empowerment: Empowering women through education and economic opportunities can positively impact maternal mortality rates. When women are educated and financially independent, they are more likely to prioritize their health and access healthcare services.

Promoting Family Planning: Providing access to family planning services and contraceptives can help prevent unintended pregnancies and reduce the number of high-risk pregnancies [3].

Addressing Socioeconomic Disparities: Governments and organizations must work towards reducing poverty and improving living conditions, as these factors can significantly influence maternal health outcomes.

Advocating for Policy Changes: Advocacy efforts are essential to influence policymakers and ensure that maternal health remains a priority on the national and international agenda.

Investing in Research: Continued research on maternal mortality can lead to a better understanding of its causes and help identify effective interventions and strategies to combat the issue [4, 5].

Conclusion

Maternal mortality is a multifaceted problem with no single solution. Combining efforts at individual, community, and systemic levels is crucial to make significant progress in reducing maternal deaths globally. By addressing the root causes and implementing evidence-based solutions, we can strive towards a world where every mother has the opportunity to experience a safe and healthy pregnancy and childbirth.

*Correspondence to: Fang Marghese, Department of Infectious Disease Epidemiology, London School of Hygiene and Tropical Medicine, UK, E-mail: marghese.f561@lshtm.ac.uk Received: 22-May-2023, Manuscript No. AAJCAH-24-141000; Editor assigned: 26-May-2023, PreQC No. AAJCAH-24-141000(PQ); Reviewed: 09-June-2024, QC No. AAJCAH-24-141000; Revised: 15- June-2024, Manuscript No: AAJCAH-24-141000(R); Published: 22-June-2024, DOI:10.35841/aajcah-8.3.206

Citation: Marghese F. Examining Maternal Mortality: Analyzing Causes and Implementing Solutions. J Child Adolesc Health. 8(3): 206

References

- Adhikari R.P. Determinants of stunting among children aged 0–59 months in Nepal: Findings from Nepal Demographic and Health Survey, 2006, 2011, and 2016. BMC Nutr. 2019;5:37.
- 2. Ahmed F. A Qualitative Exploration in Causes of Water Insecurity Experiences, and Gender and Nutritional Consequences in South-Punjab, Pakistan. Int J Environ Res Pub Health. 2021;18:12534.
- 3. Azupogo F. Malnutrition, hypertension risk, and correlates: An analysis of the 2014 ghana demographic and health survey data for 15–19 years adolescent boys and girls. Nutrients. 2020;12:2737.
- 4. Baker K.K. Impact of social capital, harassment of women and girls, and water and sanitation access on premature birth and low infant birth weight in India. PLoS ONE. 2018;13:e0205345.
- 5. Choudhary N. Water insecurity potentially undermines dietary diversity of children aged 6–23 months: Evidence

from India. Matern. Child Nutr. 2020;16:e12929.

- Khan S. Determinants of stunting, underweight and wasting among children < 5 years of age: Evidence from 2012–2013 Pakistan demographic and health survey. BMC Pub Health. 2019;19:385.
- Menon P. Understanding the geographical burden of stunting in India: A regression-decomposition analysis of district-level data from 2015–16. Matern Child Nutr. 2018;14:e12620.
- 8. Nie P. Changes in child nutrition in India: A decomposition approach. Int J Environ Res Pub Health. 2019;16:1815.
- 9. Shafiq A. Determinants of Gender Disparity in Nutritional Intake among Children in Pakistan: Evidence from PDHS. Children. 2022;9:7.
- 10. Torlesse H. Determinants of stunting in Indonesian children: Evidence from a cross-sectional survey indicate a prominent role for the water, sanitation and hygiene sector in stunting reduction. BMC Pub. Health. 2016;16:669.